

LAG3 antibody, Internal

Cat. No. GTX81605

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P, FCM
Reactivity	Human, Mouse

Package $400 \, \mu l$

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:1000
IHC-P	1:10-1:50
FCM	1:25
Not tested in other applications.	

Calculated MW 57 kDa. (<u>Note</u>)

Properties	
Form	Liquid
Buffer	PBS
Preservative	0.09% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	KLH conjugated synthetic peptide between 103-132 amino acids from the Central region of human LAG3.
Purification	Protein A purified, followed by peptide affinity purification.
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our website.

Date 2025 / 12 / 12 Page 1 of 2

€ 886-3-6208988 📻 886-3-6208989 🐷 infoasia@genetex.com



DATA IMAGES




GTX81605 WB Image

WB analysis of various samples using GTX81605 LAG3 antibody, Internal.

Lane 1: K562 whole cell lysates Lane 2: human liver lysates Lane 3: human ovary lysates Loading: 20 µg per lane

Dilution: 1:2000




GTX81605 WB Image

WB analysis of various samples using GTX81605 LAG3 antibody, Internal.

Lane 1: human ovary lysate Lane 2: mouse liver lysate Loading : 20 µg per lane

Dilution: 1:1000



GTX81605 WB Image

WB analysis of mouse heart lysate using GTX81605 LAG3 antibody, Internal.

Loading : 20 μg per lane

Dilution: 1:2000



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 12 / 12 Page 2 of 2

€ 886-3-6208988 🔓 886-3-6208989 🐷 infoasia@genetex.com