

Mitofilin antibody, Internal

Cat. No. GTX81949

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P, FCM
Reactivity	Human

References (1)

Package

400 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:1000
IHC-P	1:50-1:100
FCM	1:10-1:50

Not tested in other applications.

Calculated MW 84 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS
Preservative	0.09% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	KLH conjugated synthetic peptide between 438-467 amino acids from the Central region of human IMMT.
Purification	Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Conjugation	Unconjugated


Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.


For full product information, images and publications, please visit our [website](#).

DATA IMAGES



GTX81949 IHC-P Image

IHC-P analysis of human brain tissue using GTX81949 Mitofilin antibody, Internal.




GTX81949 FCM Image

FACS analysis of CEM cells using GTX81949 Mitofilin antibody, Internal.

Top histogram : negative control

Bottom histogram : CEM cells



GTX81949 WB Image

WB analysis of HeLa, NCI-H460, CEM cell lysate (35ug/lane) using GTX81949 Mitofilin antibody, Internal.



For full product information, images and publications, please visit our [website](https://www.genetex.com).