

## CCR4 antibody

**Cat. No. GTX82976**

<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG
<b>Applications</b>	WB, FCM, ELISA, IHC
<b>Reactivity</b>	Mouse

**Package**  
50 µg

## Applications

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500
FCM	2µl/10 <sup>6</sup> cells/100µl
ELISA	1:25,000
IHC	1:250

Not tested in other applications.

**Calculated MW** 41 kDa. ([Note](#))

**Product Note** Peptide sequence is < 50 % identical to other human chemokine receptors in this region. We do not recommend use of this product for Human samples.

## Properties

<b>Form</b>	Liquid
<b>Buffer</b>	10mM KHPO <sub>4</sub> , 140mM NaCl, BSA
<b>Preservative</b>	0.1% Sodium azide
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
<b>Concentration</b>	Batch dependent (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	Synthetic peptide DTTQDETIVNSYFYESMP-C corresponds to amino acid residues 8 - 26 of mouse CCR4 with cysteine added for coupling to a carrier protein
<b>Purification</b>	Purified by antigen-affinity chromatography
<b>Conjugation</b>	Unconjugated



For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

**Note**

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).