

RBBP9 antibody [4G3]

Cat. No. GTX83717

Host	Mouse
Clonality	Monoclonal
Isotype	IgG2a
Application	WB, ICC/IF, IHC-P, FACS
Reactivity	Human

Package
100 µl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:2000
ICC/IF	1:100
IHC-P	1:150
FACS	1:100

Not tested in other applications.

Calculated MW 21 kDa. ([Note](#))

PROPERTIES

Form	Liquid
Buffer	PBS, 1% BSA, 50% Glycerol
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Full length human recombinant protein of human RBBP9 (NP_006597) produced in HEK293T cell.
Purification	Purified by affinity chromatography
Conjugation	Unconjugated


Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES

GTX83717 FACS Image


FACS analysis of Jurkat cells using GTX83717 RBBP9 antibody [4G3].

Red : Primary antibody

Blue : Negative control antibody



GTX83717 ICC/IF Image

ICC/IF analysis of COS7 cells transiently transfected with RBBP9 plasmid using GTX83717 RBBP9 antibody [4G3].


GTX83717 IHC-P Image

IHC-P analysis of human thyroid carcinoma tissue using GTX83717 RBBP9 antibody [4G3].

Antigen retrieval : Heat-induced epitope retrieval by 10mM citrate buffer, pH6.0, 100°C for 10min.


GTX83717 WB Image

WB analysis of HEK293T cells transfected with RBBP9 plasmid (Right) or empty vector (Left) for 48 hrs using GTX83717 RBBP9 antibody [4G3].

Loading : 5 ug per lane



For full product information, images and publications, please visit our [website](https://www.genetex.com).