

c-Myc antibody [3F2]

Cat. No. GTX84065

Host	Mouse
Clonality	Monoclonal
Isotype	lgG2a
Applications	WB, ICC/IF, IHC-P
Reactivity	Human

Package 100 μl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:1000
ICC/IF	1:100
IHC-P	1:50
Not tested in other applications	

Not tested in other applications.

Calculated MW 49 kDa. (Note)

Properties	
Form	Liquid
Buffer	PBS, 1% BSA, 50% Glycerol
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Full length human recombinant protein of human Myc (NP_002458) produced in E.coli.
Purification	Purified by affinity chromatography From tissue culture supernatant
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 11 / 24 Page 1 of 2




DATA IMAGES




GTX84065 IHC-P Image

IHC-P analysis of human colon tissue using GTX84065 c-Myc antibody [3F2]. Antigen retrieval: Heat-induced epitope retrieval by 10mM citrate buffer, pH6.0, 100°C for 10min.




GTX84065 IHC-P Image

IHC-P analysis of human pancreas carcinoma tissue using GTX84065 c-Myc antibody [3F2]. Antigen retrieval: Heat-induced epitope retrieval by 10mM citrate buffer, pH6.0, 100°C for 10min.



GTX84065 WB Image

WB analysis of HeLa cell lysate using GTX84065 c-Myc antibody [3F2]. Dilution: 1:1000



GTX84065 IHC-P Image

IHC-P analysis of human ovary adenocarcinoma tissue using GTX84065 c-Myc antibody [3F2]. Antigen retrieval: Heat-induced epitope retrieval by 10mM citrate buffer, pH6.0, 100°C for 10min.



For full product information, images and publications, please visit our website.

Date 2025 / 11 / 24 Page 2 of 2