

c-Myc antibody [1A6]

Cat. No. GTX84066

Host	Mouse
Clonality	Monoclonal
Isotype	lgG2b
Applications	WB, ICC/IF, IHC-P, FCM
Reactivity	Human, Mouse, Monkey

Package 100 μΙ

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:2000
ICC/IF	1:100
IHC-P	1:50
FCM	1:100

Not tested in other applications.

Calculated MW 49 kDa. (<u>Note</u>)

Properties	
Form	Liquid
Buffer	PBS, 1% BSA, 50% Glycerol
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Full length human recombinant protein of human Myc (NP_002458) produced in E.coli.
Purification	Purified by affinity chromatography From tissue culture supernatant
Conjugation	Unconjugated



For full product information, images and publications, please visit our website.

Date 2025 / 11 / 24 Page 1 of 2




For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.


DATA IMAGES



GTX84066 IHC-P Image

IHC-P analysis of human pancreas tissue using GTX84066 c-Myc antibody [1A6].


Antigen retrieval: Heat-induced epitope retrieval by 10mM citrate buffer, pH6.0, 100°C for 10min.



GTX84066 IHC-P Image

IHC-P analysis of human breast tissue using GTX84066 c-Myc antibody [1A6].


Antigen retrieval: Heat-induced epitope retrieval by 10mM citrate buffer, pH6.0, 100°C for 10min.



GTX84066 IHC-P Image

IHC-P analysis of human thyroid tissue using GTX84066 c-Myc antibody [1A6].

Antigen retrieval: Heat-induced epitope retrieval by 10mM citrate buffer, pH6.0, 100°C for 10min.



GTX84066 IHC-P Image

IHC-P analysis of human lung carcinoma tissue using GTX84066 c-Myc antibody [1A6].

Antigen retrieval: Heat-induced epitope retrieval by 10mM citrate buffer, pH6.0, 100°C for 10min.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 11 / 24 Page 2 of 2