

FAHD2A antibody [9D4]

Cat. No. GTX84537

Host	Mouse
Clonality	Monoclonal
Isotype	lgG2b
Applications	WB, IHC-P, FCM
Reactivity	Human, Dog, Monkey

Package 100 μΙ

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:2000
IHC-P	1:50
FCM	1:100
Not tested in other applications	

Calculated MW 35 kDa. (<u>Note</u>)


Properties	
Form	Liquid
Buffer	PBS, 1% BSA, 50% Glycerol
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.9 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Full length human recombinant protein of human FAHD2A (NP_057128) produced in HEK293T cell.
Purification	Purified by affinity chromatography
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our website.


Date 2025 / 12 / 28 Page 1 of 2

DATA IMAGES




GTX84537 FCM Image

FACS analysis of HEK293T cells transfected with either FAHD2A plasmid(Red) or empty vector control plasmid(Blue) using GTX84537 FAHD2A antibody [9D4].



GTX84537 IHC-P Image


IHC-P analysis of colon adenocarcinoma tissue using GTX84537 FAHD2A antibody [9D4]. Antigen retrieval: Heat-induced epitope retrieval by 10mM citrate buffer, pH6.0, 100°C for 10min. Dilution: 1:50



GTX84537 IHC-P Image

IHC-P analysis of kidney tissue using GTX84537 FAHD2A antibody [9D4].

Antigen retrieval: Heat-induced epitope retrieval by 10mM citrate buffer, pH6.0, 100°C for 10min. Dilution: 1:50



GTX84537 IHC-P Image

IHC-P analysis of liver carcinoma tissue using GTX84537 FAHD2A antibody [9D4].

Antigen retrieval: Heat-induced epitope retrieval by 10mM citrate buffer, pH6.0, 100°C for 10min.

Dilution: 1:50



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 12 / 28 Page 2 of 2