Slc37A2 antibody

Cat. No. GTX85198

Host	Rabbit	
Clonality	Polyclonal	
lsotype	IgG	
Application	WB, IHC-P, ELISA	
Reactivity	Human, Mouse, Rat	

Package 100 μg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1 μg/mL
IHC-P	5 μg/mL
ELISA	Assay dependent
Net tested in other englishting	

Not tested in other applications.

Calculated MW 54

54 kDa. (<u>Note</u>)

PROPERTIES	
Form	Liquid
Buffer	PBS
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	SIc37A2 antibody was raised against a 15 amino acid synthetic peptide near the center of human SIc37A2. The immunogen is located within amino acids 230 - 280 of SIc37A2(Accession # NP_938018).
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 05 / 19 Page 1 of 2




DATA IMAGES




GTX85198 IHC-P Image

IHC-P analysis of rat spleen tissue using GTX85198 Slc37A2 antibody. Working concentration : 20 $\mu\text{g/ml}$



GTX85198 WB Image

WB analysis of mouse spleen tissue lysate in the (A) absence and (B) presence of blocking peptide using GTX85198 SIc37A2 antibody. Working concentration : $1 \mu g/ml$



GTX85198 IHC-P Image

IHC-P analysis of rat spleen tissue using GTX85198 Slc37A2 antibody. Working concentration : 5 $\mu g/ml$



For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 05 / 19 Page 2 of 2