B7-H4 antibody, Internal

Cat. No. GTX88996

Host	Goat
Clonality	Polyclonal
lsotype	lgG
Applications	WB
Reactivity	Human

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

31 kDa. (<u>Note</u>)

Suggested dilution	Recommended dilution
WB	0.5-1.5µg/ml
Not tested in other applications.	

Package 100 μg

Calculated MW

Properties Liquid Form Buffer TBS, 0.5% BSA 0.02% Sodium azide Preservative Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For Storage long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. Concentration 0.50 mg/ml (Please refer to the vial label for the specific concentration.) Immunogen Peptide with sequence C-SKGKGNANLEYK, from the internal region of the protein sequence according to NP_078902.2. Purification Purified by ammonium sulphate precipitation followed by antigen affinity chromatography Conjugation Unconjugated For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption. Note Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 08 / 30 Page 1 of 2

DATA IMAGES

	250kDa 150kDa 100kDa 75kDa
-	50kDa
	37kDa
	25kDa
	20kDa

GTX88996 WB Image

WB analysis of human pancreas lysate using GTX88996 B7-H4 antibody, Internal. Dilution : $0.5\mu g/ml$ Loading : $35\mu g$ protein in RIPA buffer



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 08 / 30 Page 2 of 2