

## HEXIM1 antibody, C-term

## Cat. No. GTX89214

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF
Reactivity	Human, Mouse

Package  
100 µg

## Applications

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	0.1-0.3µg/ml
ICC/IF	Assay dependent

Not tested in other applications.

Calculated MW 41 kDa. ([Note](#))

## Properties


Form	Liquid
Buffer	TBS, 0.5% BSA
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.50 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Peptide with sequence C-HRQQERAPLSKFGD, from the C Terminus of the protein sequence according to NP_006451.1.
Purification	Purified by ammonium sulphate precipitation followed by antigen affinity chromatography
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 06 Page 1 of 2

## DATA IMAGES



## GTX89214 ICC/IF Image


ICC/IF analysis of PFA fixed HeLa cells using GTX89214 HEXIM1 antibody, C-term.

Green : Primary antibody

Blue : DAPI

Permeabilization : 0.15% Triton

Dilution : 10 $\mu$ g/ml



## GTX89214 ICC/IF Image


ICC/IF analysis of PFA fixed A431 cells using GTX89214 HEXIM1 antibody, C-term.

Green : Primary antibody

Blue : DAPI

Permeabilization : 0.15% Triton

Dilution : 10 $\mu$ g/ml



## GTX89214 WB Image

WB analysis of human (A) and mouse (B) heart lysates using GTX89214 HEXIM1 antibody, C-term.

Dilution : 0.1 $\mu$ g/ml

Loading : 35 $\mu$ g protein in RIPA buffer



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 06 Page 2 of 2