

KAP1 antibody, C-term

Cat. No. GTX89879

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Applications	ICC/IF, IHC-P, FCM, ChIP assay
Reactivity	Human

Package
100 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
ICC/IF	10µg/ml
IHC-P	2-4µg/ml
FCM	Assay dependent
ChIP assay	Assay dependent

**Note : Strong expression of the protein seen in the nucleus of HeLa and U2OS cells.
Human Breast shows nuclear staining in epithelial duct cells.**

Not tested in other applications.

Properties

Form	Liquid
Buffer	TBS, 0.5% BSA
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.50 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Peptide with sequence C-SSQELSGGPGDGP, from the C Terminus of the protein sequence according to NP_005753.1.
Purification	Purified by ammonium sulphate precipitation followed by antigen affinity chromatography
Conjugation	Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES



GTX89879 ICC/IF Image

ICC/IF analysis of PFA fixed HeLa cells using GTX89879 KAP1 antibody, C-term.


Green : Primary antibody

Blue : DAPI

Negative control : Unimmunized goat IgG

Permeabilization : 0.15% Triton

Dilution : 10µg/ml



GTX89879 FCM Image


FACS analysis of PFA fixed HeLa cells using GTX89879 KAP1 antibody, C-term.

Blue : Primary antibody

Black : Isotype control

Permeabilization : 0.5% Triton

Dilution : 10µg/ml




GTX89879 IHC-P Image

IHC-P analysis of human breast using GTX89879 KAP1 antibody, C-term.

Antigen retrieval : Tris/EDTA buffer pH 9

Dilution : 2µg/ml



GTX89879 ICC/IF Image

ICC/IF analysis of PFA fixed U2OS cells using GTX89879 KAP1 antibody, C-term.

Green : Primary antibody

Blue : DAPI

Negative control : Unimmunized goat IgG

Permeabilization : 0.15% Triton

Dilution : 10µg/ml



For full product information, images and publications, please visit our [website](#).