

DAP3 antibody, C-term

Cat. No. GTX89921

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF, IHC-P
Reactivity	Human

Package
100 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1-3µg/ml
ICC/IF	5µg/ml
IHC-P	2.5µg/ml

Note : Protein expression clearly seen within the nucleus.

Not tested in other applications.

Calculated MW	46 kDa. (Note)
Product Note	This antibody is expected to recognise isoform 1 (NP_387506.1), isoform 2 (NP_001186779.1) and isoform 3 (NP_001186780.1).

Properties	
Form	Liquid
Buffer	TBS, 0.5% BSA
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.50 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Peptide with sequence NPSLLERHCAYL, from the C Terminus of the protein sequence according to NP_387506.1; NP_001186779.1; NP_001186780.1.
Purification	Purified by ammonium sulphate precipitation followed by antigen affinity chromatography
Conjugation	Unconjugated




For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note


Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES

GTX89921 IHC-P Image

IHC-P analysis of human tonsil using GTX89921 DAP3 antibody, C-term.

Antigen retrieval : citrate buffer pH 6


Dilution : 2.5µg/ml


GTX89921 IHC-P Image

IHC-P analysis of human cortex using GTX89921 DAP3 antibody, C-term.

Antigen retrieval : citrate buffer pH 6


Dilution : 2.5µg/ml


GTX89921 WB Image

WB analysis of HeLa lysate using GTX89921 DAP3 antibody, C-term.

Dilution : 3µg/ml

Loading : 30µg protein in RIPA buffer


GTX89921 ICC/IF Image

ICC/IF analysis of guanidinium thiocyanate-treated HeLa control (left) and after (right) si-RNA-mediated DAP3 knock-down cells using GTX89921 DAP3 antibody, C-term.

Dilution : 0.5µg/ml



For full product information, images and publications, please visit our [website](http://www.genetex.com).