

# Histone H3.3B antibody

## Cat. No. GTX115549

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF, IHC-P
Reactivity	Human, Mouse, Rat

References (9) Package 100 μΙ, 25 μΙ

## Applications

### **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:20000
ICC/IF	1:100-1:1000
IHC-P	1:100-1:1000
Not tested in other applications.	

**Calculated MW** 15 kDa. ( <u>Note</u> )

Properties	
Form	Liquid
Buffer	PBS, 1% BSA, 20% Glycerol
Preservative	0.025% ProClin 300
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.16 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Full length human Histone H3.3B Recombinant protein.
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our website.

Date 2025 / 10 / 29 Page 1 of 2

#### DATA IMAGES



#### GTX115549 IHC-P Image

Histone H3.3B antibody detects Histone H3.3B protein at nucleus in rat brain by immunohistochemical

Sample: Paraffin-embedded rat brain.

Histone H3.3B antibody (GTX115549) diluted at 1:500.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min




#### GTX115549 IHC-P Image

Histone H3.3B antibody detects Histone H3.3B protein at nucleus in mouse muscle by immunohistochemical analysis.

Sample: Paraffin-embedded mouse muscle.

Histone H3.3B antibody (GTX115549) diluted at 1:500.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min




#### GTX115549 IHC-P Image

Histone H3.3B antibody detects Histone H3.3B protein at nucleus in mouse kidney by immunohistochemical analysis.

Sample: Paraffin-embedded mouse kidney.

Histone H3.3B antibody (GTX115549) diluted at 1:500.


Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



#### GTX115549 IHC-P Image

Immunohistochemical analysis of paraffin-embedded HSC3 xenograft, using Histone H3.3B(GTX115549) antibody at 1:500 dilution.

Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min



#### GTX115549 ICC/IF Image

Histone H3.3B antibody detects Histone H3.3B protein at nucleus by immunofluorescent analysis. Sample: HeLa cells were fixed in 4% paraformaldehyde at RT for 15 min.

Green: Histone H3.3B protein stained by Histone H3.3B antibody (GTX115549) diluted at 1:500.

Red: Phalloidin, a cytoskeleton marker, diluted at 1:100.



For full product information, images and publications, please visit our website.

Date 2025 / 10 / 29 Page 2 of 2