

Interferon gamma antibody

Cat. No. GTX31185

| | |
|--------------|----------------|
| Host | Rabbit |
| Clonality | Polyclonal |
| Isotype | IgG |
| Applications | WB, ELISA, IHC |
| Reactivity | Rat |

Package
100 µg

Applications

Application Note

We recommend the following starting dilutions: For WB: Use at a concentration of 0.1-0.2 µg/ml. For ELISA: Use at a concentration of 0.5-2.0 µg/ml. For IHC: Use at a concentration of 0.25 µg/ml. Optimal dilutions should be determined experimentally by the end user.

Calculated MW 18 kDa. ([Note](#))

Properties

Form Liquid

Buffer PBS pH7.2

Preservative No preservatives

Storage Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.

Concentration Batch dependent (Please refer to the vial label for the specific concentration.)

Immunogen Recombinant Rat IFN-γ

Conjugation Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES

**GTX31185 IHC Image**

IHC analysis of colchicine injected rat brain (including the cortex and median eminence) tissue using IFN gamma antibody at a concentration of 0.25 mg/ml. This was followed by a peroxidase conjugated secondary antibody and then a fluorescein Tyramide Signal Amplification (TSA) reagent.

**GTX31185 IHC Image**

IHC analysis of colchicine injected rat brain (including the cortex and median eminence) tissue using IFN gamma antibody at a concentration of 0.25 mg/ml. This was followed by a peroxidase conjugated secondary antibody and then a fluorescein Tyramide Signal Amplification (TSA) reagent.



For full product information, images and publications, please visit our [website](#).