

## GFAP antibody [HL1307]

**Cat. No. GTX636725**

<b>Host</b>	Rabbit
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG
<b>Applications</b>	WB, IHC-P, IHC-Fr, ELISA
<b>Reactivity</b>	Human, Mouse, Rat

**Package**  
100 µl, 25 µl

## Applications

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:1000-1:10000
IHC-P	1:100-1:1000
IHC-Fr	Assay dependent
ELISA	Assay dependent

Not tested in other applications.

**Observed MW (kDa)** 43-50 kDa.

## Properties

<b>Form</b>	Liquid
<b>Buffer</b>	PBS
<b>Preservative</b>	No preservatives
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
<b>Concentration</b>	1 mg/ml (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	Recombinant protein encompassing a sequence within the center region of human GFAP. The exact sequence is proprietary.
<b>Purification</b>	Affinity purified by Protein A.
<b>Conjugation</b>	Unconjugated

**Note**


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


DATA IMAGES



**GTX636725 WB Image**

Various tissue extracts (50 µg) were separated by 10% SDS-PAGE, and the membranes were blotted with GFAP antibody [HL1307] (GTX636725) diluted at 1:3000 and competitor's antibody diluted at 1:3000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.

\*The competitor is not affiliated with GeneTex and does not endorse this product.




**GTX636725 IHC-P Image**

GFAP antibody [HL1307] detects GFAP protein at cytoplasm by immunohistochemical analysis. Sample: Paraffin-embedded rat brain.

GFAP stained by GFAP antibody [HL1307] (GTX636725) diluted at 1:100.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min




**GTX636725 IHC-P Image**

GFAP antibody [HL1307] detects GFAP protein by immunohistochemical analysis.

Sample: Paraffin-embedded rat tissue.

GFAP stained by GFAP antibody [HL1307] (GTX636725) diluted at 1:100.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min




**GTX636725 IHC-Fr Image**

GFAP antibody [HL1307] detects GFAP protein at cytoplasm by immunohistochemical analysis.

Sample: Frozen-sectioned mouse spinal cord.

Green: GFAP stained by GFAP antibody [HL1307] (GTX636725) diluted at 1:100.

Blue: Fluoroshield with DAPI (GTX30920).



**GTX636725 IHC-Fr Image**

GFAP antibody [HL1307] detects GFAP protein at glia cells by immunohistochemical analysis.

Sample: Frozen-sectioned mouse cerebellum.

Green: GFAP stained by GFAP antibody [HL1307] (GTX636725) diluted at 1:200.

Blue: Fluoroshield with DAPI (GTX30920).



For full product information, images and publications, please visit our [website](#).